## **TO: PROSPECTIVE OFFERORS**

The Embassy of the United States of America, in Quito Ecuador, requires the following tactical equipment.

| No. | Description            |                               | Characteristics                            | Quantity |
|-----|------------------------|-------------------------------|--------------------------------------------|----------|
|     |                        | Generation 2                  |                                            |          |
|     |                        | 5X magnification              |                                            |          |
|     |                        | Superfast, Multi-coated, all- |                                            |          |
|     |                        | Dual eye viewing system fo    |                                            |          |
|     |                        | Detachable Long Range inf     |                                            |          |
|     |                        | Rugged and versatile design   |                                            |          |
|     |                        | Water and fog resistance      |                                            |          |
|     |                        | Tripod mountable              |                                            |          |
|     |                        | Hand strap and neck strap for |                                            |          |
|     |                        | Power supply: 1.5V AA or 3    |                                            |          |
|     |                        | Range of focus: 5 m to infin  |                                            |          |
| 1   | Night vision binocular | Lens system: F 1:1.5, 108 mm  |                                            | 2        |
|     |                        | Detector Type                 | 640 x 512 VOx Microbolometer               |          |
|     |                        | Focal Length                  | 35 mm Fixed Focus                          |          |
|     |                        | Field of View (H x W)         | 18deg. x 14deg.                            |          |
|     |                        | Digital E-Zoom                | 4x                                         |          |
|     |                        | USB Port                      | Charging/Software Updates                  |          |
|     |                        | Image Optimization            | Proprietary Digital Detail Enhancement     |          |
|     |                        | Battery Type                  | Internal Battery/Li-Ion                    |          |
|     |                        | Battery Recharging            | USB Cable for Internal Battery; AC Adapter |          |
|     |                        | Battery Life                  |                                            |          |
| 2   | Night vision monocular | (Thermal Imager Only)         | 5+ Hours Typical                           | 1        |

|   |                                  | Laser Type                    | Visible Red (Wavelength 630-660nm)              |   |  |
|---|----------------------------------|-------------------------------|-------------------------------------------------|---|--|
|   |                                  | Laser Class                   | IIIA/3R (US FDA/IEC)                            |   |  |
|   |                                  | Laser Power                   | <5mW (3.5mW typical)                            |   |  |
|   |                                  | Environmental Rating          | IP-67                                           |   |  |
|   |                                  | Operating Temp.               | -4deg.F to 122deg.F (-20deg.C to +50deg.C)      |   |  |
|   |                                  | Range Performance             | Detect Man-Sized Target (1.8 m x 0.5 m): 1200   |   |  |
|   |                                  | yds (1.09 km)                 | -                                               |   |  |
|   |                                  | Second-By-Second Refresh Rate |                                                 |   |  |
|   |                                  | Approximately 100 Hours of    | f Driving Record Time                           |   |  |
|   |                                  | On/Off Switch                 |                                                 |   |  |
|   |                                  | Documents Every Stop a D      |                                                 |   |  |
|   |                                  | No Installation Required      | No Installation Required                        |   |  |
|   |                                  | NO MONTHLY Service Fe         |                                                 |   |  |
|   |                                  | Mounting: Powerful m          |                                                 |   |  |
|   |                                  | Max Number of Satellites:     | Max Number of Satellites: 16 Satellites         |   |  |
|   |                                  | Communication Protocol:       | NMEA                                            |   |  |
|   |                                  | Data Output: USB (PC co       |                                                 |   |  |
|   |                                  | Memory Type: Flash memory     |                                                 |   |  |
|   |                                  | Power: 2 AA batteries         |                                                 |   |  |
|   |                                  | Battery Life: 1 hour per d    | lay: 6 weeks; 2 hours per day: 4 weeks; 4 hours |   |  |
| 3 | GPS tracking key pro             | per day: 2 weeks              |                                                 | 2 |  |
|   |                                  | This combo pack provides of   | uick and convenient battery replacement for     |   |  |
|   |                                  | secure stealth applications.  |                                                 |   |  |
|   |                                  | Includes:                     |                                                 |   |  |
|   |                                  | The Silver Cloud real-time    |                                                 |   |  |
|   | GPS tracking system Silver Cloud | Magnet mount                  |                                                 |   |  |
| 4 | Stealth Pack Plus                | Battery charger with addition | nal Lithium-Ion Battery.                        | 2 |  |
|   |                                  | Display resolution WxH: 1     | 20 x 160 pixels                                 |   |  |
|   |                                  | Display type: 4 level gray    | LCD                                             |   |  |
|   |                                  | 2 AA battery                  |                                                 |   |  |
|   |                                  | Land or water use             |                                                 |   |  |
|   |                                  | 1PX7 waterproof               |                                                 |   |  |
| 5 | GPS                              | Serial and USB interface      |                                                 | 2 |  |

|   |                | Sun and moon information                                               |   |
|---|----------------|------------------------------------------------------------------------|---|
|   |                | 2GB Digital Voice Recorder                                             |   |
|   |                | Up To 750 hours Of Recording Time/2GB Of Built-In Flash Memory/        |   |
|   |                | Additional Storage Available Through The Micro SD/M2 Memory Card Slot/ |   |
|   |                | Easy-To-Read Backlit Display/ Record And Play Back In MP3/ Intelligent |   |
|   |                | Noise Cut Technology Greatly Reduces Ambient Background Sound/ Color:  |   |
| 6 | Voice Recorder | Black                                                                  | 2 |

Vendors should have the items available for immediate delivery.

US quotes shall include shipping charges to the consignee in Doral, Florida.

Just in Time Services c/o Becky Rodriguez 11380 NW 34<sup>th</sup> Street Doral, FL 33178

We will evaluate offers based on the best value to the US Government.

If you would like to be considered for this project, please submit your quote by 4:00 p.m. on February 1, 2012 to Mr. Ramon Best, Contracting Officer, e-mail address: <a href="mailto:BestRE@state.gov">BestRE@state.gov</a>; and/or Cecilia Rosero, Procurement Agent, e-mail address: <a href="mailto:roseroC@state.gov">roseroC@state.gov</a> with the following subject: Quote Tactical Equipment Coguar Gain. No quotations will be accepted after this time.

Direct any questions regarding this project to Cecilia Rosero, Procurement Agent, e-mail address: <a href="mailto:RoseroC@state.gov">RoseroC@state.gov</a> in writing.